

TTT Extractions
 Order No.: ONYTTT0912-0008871
 5786 RT-96
 New York, 14541
 team@tttextractionsny.com
 7167719746

Sample: SNYTTT0912-CDIS-0018979
 Batch#: BMDISTX-61725-03
 Date Sampled: 09/12/2025 09:14
 Sample Received: 09/12/2025 12:01
 Report Created: 09/23/2025 11:32
 Sampling SOP 204

bmdistx-03
 Concentrates & Extracts, Distillate





Results

92.39 % D9-THC	1.35 % CBG
ND Total CBD	92.39 % Total THC
96.02 % Total Cannabinoids	0.202% Total Terpenes

Tests Summary

Cannabinoids Tested	Moisture Not Tested	Microbials Pass
Water Activity Not Tested	Foreign Matter Not Tested	Homogeneity Not Tested
Terpenes Pass	Residual Solvents Pass	Mycotoxins Pass
Heavy Metals Pass	Pesticides Pass	

Dominant Terpenes





Certificate of Analysis

R&D

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

TTT Extractions

Order No.: ONYTTT0912-0008871
5786 RT-96
New York, 14541
team@tttextractionsny.com
7167719746

Sample: SNYTTT0912-CDIS-0018979

Batch#: BMDISTX-61725-03
Date Sampled: 09/12/2025 09:14
Sample Received: 09/12/2025 12:01
Report Created: 09/23/2025 11:32
Sampling SOP 204

bmdistx-03

Concentrates & Extracts, Distillate



Cannabinoids

SOP: SOP 801-NY

Date/Time Tested: 09/16/2025 12:55

Tested

Analyte	LOQ (ug/mL)	%	mg/g
CBDV	4,149.47	ND	ND
CBDa	4,149.47	ND	ND
CBGa	4,149.47	ND	ND
CBG	4,149.47	1.35	13.50
CBD	4,726.96	< LOQ	< LOQ
THCV	4,149.47	0.63	6.32
CBN	4,149.47	0.70	7.00
D9-THC	4,856.77	92.39	923.90
D8-THC	4,726.96	ND	ND
(6aR,9S)-d10-THC	4,726.96	ND	ND
(6aR,9R)-d10-THC	4,149.47	ND	ND
CBC	4,149.47	0.95	9.51
THCa	4,726.96	ND	ND
Total CBD		ND	ND
Total THC		92.39	923.90
Total Cannabinoids		96.02	960.23

Report notes:

Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC
Total CBD = CBDa * 0.877 + CBD
Total Cannabinoids = Sum of all cannabinoids
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCM-PCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

Microbials

SOP: SOP 401-NY SOP 418-NY

Instrument: 35C Incubator - 1032 / 28C Incubator - 1034 / BioRad CFX

qPCR - 3195

Date/Time Tested: 09/13/2025 16:20

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status	Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	100	10,000	ND	Passed	Aspergillus Flavus		0	ND	Passed
E. Coli		0	ND	Passed	Aspergillus Fumigatus		0	ND	Passed
Yeast & Mold	100	1,000	ND	Passed	Aspergillus Niger		0	ND	Passed
Salmonella		0	ND	Passed	Aspergillus Terreus		0	ND	Passed

Report notes:

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
Kimberly Krisolofsky
Lead Technical Director

TTT Extractions

Order No.: ONYTTT0912-0008871
 5786 RT-96
 New York, 14541
 team@tttextractionsny.com
 7167719746

Sample: SNYTTT0912-CDIS-0018979

Batch#: BMDISTX-61725-03
 Date Sampled: 09/12/2025 09:14
 Sample Received: 09/12/2025 12:01
 Report Created: 09/23/2025 11:32
 Sampling SOP 204

bmdistx-03

Concentrates & Extracts, Distillate



Terpenes

SOP: SOP 620-NY

Instrument: Agilent GC-FID 1950 - 1950

Date/Time Tested: 09/16/2025 13:55

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		115,000	0.2019	Passed	Linalool	166		ND	Tested
Guaiol	166		0.0957	Tested	Fenchone	166		ND	Tested
a-Bisabolol	166		0.0537	Tested	Isopulegol	166		ND	Tested
trans-Nerolidol	166		0.0318	Tested	Camphor	166		ND	Tested
Caryophyllene Oxide	166		0.0207	Tested	Isoborneol	166		ND	Tested
a-Pinene	166		ND	Tested	DL-Menthol	166		ND	Tested
Camphene	166		ND	Tested	Borneol	166		ND	Tested
Sabinene	166		ND	Tested	Terpineol	166		ND	Tested
b-Pinene	166		ND	Tested	Nerol	166		ND	Tested
b-Myrcene	166		ND	Tested	Pulegone	166		ND	Tested
a-Phellandrene	166		ND	Tested	Geraniol	166		ND	Tested
d-3-Carene	166		ND	Tested	Geranyl Acetate	166		ND	Tested
a-Terpinene	166		ND	Tested	a-Cedrene	166		ND	Tested
Limonene	166		ND	Tested	b-Caryophyllene	166		< LOQ	Tested
p-Cymene	166		ND	Tested	a-Humulene	166		< LOQ	Tested
Eucalyptol	166		ND	Tested	Valencene	166		ND	Tested
g-Terpinene	166		ND	Tested	cis-Nerolidol	166		< LOQ	Tested
Terpinolene	166		ND	Tested	Cedrol	166		ND	Tested
Fenchol	166		ND	Tested	trans-b-Ocimene	166		ND	Tested
Sabinene Hydrate	166		ND	Tested	trans-b-Farnesene	166		< LOQ	Tested

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Certificate of Analysis

R&D

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

TTT Extractions

Order No.: ONYTTT0912-0008871
5786 RT-96
New York, 14541
team@tttextractionsny.com
7167719746

Sample: SNYTTT0912-CDIS-0018979

Batch#: BMDISTX-61725-03
Date Sampled: 09/12/2025 09:14
Sample Received: 09/12/2025 12:01
Report Created: 09/23/2025 11:32
Sampling SOP 204

bmdistx-03

Concentrates & Extracts, Distillate



Residual Solvents

SOP: SOP 612-NY

Instrument: MS - 2544 / HS - 2542 / Agilent HS-GC-MS 2543 - 2543

Date/Time Tested: 09/16/2025 13:44

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	2	5	ND	Passed
Acetone	42	5,000	ND	Passed
Acetonitrile	17	410	ND	Passed
Benzene	2	2	ND	Passed
Butane	42	5,000	ND	Passed
Chloroform	2	60	ND	Passed
Ethanol	209	5,000	ND	Passed
Ethyl Acetate	209	5,000	ND	Passed
Ethyl Ether	21	5,000	ND	Passed
DMSO	104	5,000	ND	Passed
Heptane	21	5,000	ND	Passed
Hexanes	6	290	ND	Passed
Isopropyl Alcohol	209	5,000	ND	Passed
Methanol	125	3,000	ND	Passed
Methylene Chloride	3	600	ND	Passed
Pentanes	63	5,000	ND	Passed
Propane	21	5,000	ND	Passed
Toluene	4	890	ND	Passed
Trichloroethane	52	1,500	ND	Passed
Xylenes	275	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	21	1,000	ND	Passed

Report notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.



Kimberly Krisolofsky
Kimberly Krisolofsky
Lead Technical Director

TTT Extractions

Order No.: ONYTTT0912-0008871
 5786 RT-96
 New York, 14541
 team@tttextractionsny.com
 7167719746

Sample: SNYTTT0912-CDIS-0018979

Batch#: BMDISTX-61725-03
 Date Sampled: 09/12/2025 09:14
 Sample Received: 09/12/2025 12:01
 Report Created: 09/23/2025 11:32
 Sampling SOP 204

bmdistx-03

Concentrates & Extracts, Distillate



Mycotoxins

SOP: SOP 808-NY

Instrument: Agilent LCMS 2546 - 2546

Date/Time Tested: 09/14/2025 12:16

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	5.0		ND	Tested
B2	5.0		ND	Tested
G1	5.0		ND	Tested
G2	5.0		ND	Tested
Ochratoxin A	5.0	20.0	ND	Passed
Total Aflatoxins		20.0	ND	Passed
Total Mycotoxins			ND	Tested

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Heavy Metals

SOP: SOP 250-NY

Instrument: Agilent 7800 ICP-MS - 2594

Date/Time Tested: 09/17/2025 11:12

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.179	2.000	ND	Passed
Arsenic	0.179	0.200	ND	Passed
Cadmium	0.179	0.200	ND	Passed
Chromium	0.179	110.000	< LOQ	Passed
Copper	0.214	30.000	ND	Passed
Mercury	0.043	0.100	ND	Passed
Nickel	0.214	2.000	ND	Passed
Lead	0.179	0.500	ND	Passed

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Certificate of Analysis

R&D

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

TTT Extractions

Order No.: ONYTTT0912-0008871
5786 RT-96
New York, 14541
team@tttextractionsny.com
7167719746

Sample: SNYTTT0912-CDIS-0018979

Batch#: BMDISTX-61725-03
Date Sampled: 09/12/2025 09:14
Sample Received: 09/12/2025 12:01
Report Created: 09/23/2025 11:32
Sampling SOP 204

bmdistx-03

Concentrates & Extracts, Distillate



Pesticides

SOP: SOP 814-NY

Instrument: Agilent GCMS 2541 - 2541 / Agilent LCMS 2546 - 2546

Date/Time Tested: 09/14/2025 10:31

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.39	0.50	ND	Passed
Acephate	0.10	0.40	ND	Passed
Acequinocyl	0.10	2.00	ND	Passed
Acetamiprid	0.10	0.20	ND	Passed
Aldicarb	0.10	0.40	ND	Passed
Azoxystrobin	0.10	0.20	ND	Passed
Bifenazate	0.10	0.20	ND	Passed
Bifenthrin	0.10	0.20	ND	Passed
Boscalid	0.10	0.40	ND	Passed
Carbaryl	0.10	0.20	ND	Passed
Carbofuran	0.10	0.20	ND	Passed
Chlorantraniliprole	0.10	0.20	ND	Passed
Chlorpyrifos	0.10	0.20	ND	Passed
Clofentezine	0.10	0.20	ND	Passed
Coumaphos	0.10	1.00	ND	Passed
Cyfluthrin	0.50	1.00	ND	Passed
Cypermethrin	0.10	1.00	ND	Passed
Daminozide	0.10	1.00	ND	Passed
Diazinon	0.10	0.20	ND	Passed
Dichlorvos	0.10	1.00	ND	Passed
Dimethoate	0.10	0.20	ND	Passed
Dimethomorph	0.10	1.00	ND	Passed
Ethoprophos	0.10	0.20	ND	Passed
Etofenprox	0.10	0.40	ND	Passed
Etoxazole	0.10	0.20	ND	Passed
Fenhexamid	0.10	1.00	ND	Passed
Fenoxycarb	0.10	0.20	ND	Passed
Fenpyroximate	0.10	0.40	ND	Passed
Fipronil	0.10	0.40	ND	Passed
Flonicamid	0.10	1.00	ND	Passed
Fludioxonil	0.10	0.40	ND	Passed
Hexythiazox	0.10	1.00	ND	Passed
Imazalil	0.10	0.20	ND	Passed
Imidacloprid	0.10	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.10	0.40	ND	Passed
Malathion	0.10	0.20	ND	Passed
Mevinphos	0.10	1.00	ND	Passed
Metalaxyl	0.10	0.20	ND	Passed
Methiocarb	0.10	0.20	ND	Passed



Kimberly Krisolofsky
Kimberly Krisolofsky
Lead Technical Director



Certificate of Analysis

R&D

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

TTT Extractions

Order No.: ONYTTT0912-0008871
5786 RT-96
New York, 14541
team@tttextractionsny.com
7167719746

Sample: SNYTTT0912-CDIS-0018979

Batch#: BMDISTX-61725-03
Date Sampled: 09/12/2025 09:14
Sample Received: 09/12/2025 12:01
Report Created: 09/23/2025 11:32
Sampling SOP 204

bmdistx-03

Concentrates & Extracts, Distillate



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Methomyl	0.10	0.40	ND	Passed
MGK-264	0.01	0.20	ND	Passed
Myclobutanil	0.10	0.20	ND	Passed
Naled	0.10	0.50	ND	Passed
Oxamyl	0.10	1.00	ND	Passed
Paclobutrazol	0.10	0.40	ND	Passed
Permethrin	0.10	0.20	ND	Passed
Phosmet	0.10	0.20	ND	Passed
Piperonyl Butoxide	0.10	2.00	ND	Passed
Prallethrin	0.10	0.20	ND	Passed
Propiconazole	0.10	0.40	ND	Passed
Propoxur	0.10	0.20	ND	Passed
Pyrethrins	0.07	1.00	ND	Passed
Pyridaben	0.10	0.20	ND	Passed
Spinetoram	0.10	1.00	ND	Passed
Spinosyn AD	0.10	0.20	ND	Passed
Spiromesifen	0.10	0.20	ND	Passed
Spirotetramat	0.10	0.20	ND	Passed
Spiroxamine	0.10	0.20	ND	Passed
Tebuconazole	0.10	0.40	ND	Passed
Thiacloprid	0.10	0.20	ND	Passed
Thiamethoxam	0.10	0.20	ND	Passed
Trifloxystrobin	0.10	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.10	0.20	ND	Passed
Chlordane	0.10	1.00	ND	Passed
Chlorfenapyr	0.10	1.00	ND	Passed
PCNB	0.10	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.



Kimberly Krisolofsky
Lead Technical Director